# Contents


Andersen, R. J.: see Boyer, G. L. et al., 123
Anderson, R. J.: see Bolton, J. J., 293
Astthorsson, O. S.; Pálsson, O. K.: Predation on euphausiids by cod, *Gadus morhua,* in winter in Icelandic subarctic waters 327
Axelsson, L.: see Haglund, K. et al., 409

Baker, K. S.: see Smith, R. C. et al., 575
Balboni, M. A.: see Pesch, C. E. et al., 545
Bardwell, S. J.: see Grigg, H. et al., 253
Behrens Yamada, S.: Geographic variation in the growth rates of *Littorina littorea* and *L. saxatilis* 529
Bertrand, J. C.: see Gilewicz, M. et al., 157
Bidigare, R. R.: see Fisher, C. R. et al., 59
Bidigare, R. R.: see Prézelin, B. B. et al., 563
Bidigare, R. R.: see Smith, R. C. et al., 575
Billett, D. S. M.: see Walker, M. et al., 277
Bingham, B. L.: see Young, C. M., 539
Bjørnestad, E.: see Riisgård, H. U. et al., 349
Blaxter, J. H. S.: see Yin, M. C., 459
Bolton, J. J.; Anderson, R. J.: Temperature tolerances of two southern African *Ecklonia* species (Alariaceae: Laminariales) and of hybrids between them 293
Bowden, B. F.: see Coll, J. C. et al., 129
Boyer, G. L.; Sullivan, J. J.; Andersen, R. J.; Harrison, P. J.; Taylor, F. J. R.: Effects of nutrient limitation on toxin production and composition in the marine dinoflagellate *Protogonyaulax tamarensis* 123
Brooks, J. M.: see Smith, R. C. et al., 575
Butler, A. J.: see Wardrop, J. A. et al., 151

Cherry, M. I.; Cherry, R. D.; Heyraud, M.: Polonium-210 and lead-210 in Antarctic marine biota and sea water 441
Cherry, R. D.: see Cherry, M. I. et al., 441
Childress, J. J.: see Fisher, C. R. et al., 59
Choat, J. H.: see McCormick, M. I., 469
Clarke, M. R.: see Rodhouse P. G. et al., 1
Cockcroft, A. C.; McLachlan, A.: Nitrogen regeneration by the surf zone penaeid prawn *Macropetasma africanus* 343
Coll, J. C.; Price, I. R.; König, G. M.; Bowden, B. F.: Algal overgrowth of alcyonacean soft corals 129
Collins, N. R.: see Williams, R. et al., 247
Conway, D. V. P.: see Williams, R. et al., 247
Costlow, J. D.: see West, T. L., 47

Dalpadado, P.; Gjøsaeter, J.: Observations on mesopelagic fish from the Red Sea 173
Distel, D. L.; Felbeck, H.: Endosymbiosis in the lucinid clams *Lucinoma aequizonata, Lucinoma annulata* and *Lucina floridana:* a reexamination of the functional morphology of the gills as bacteria-bearing organs 79
Druehl, L. D.: see Germann, I. et al., 413
Dubinsky, Z.: see Wyman, K. D. et al., 283
Duke, C. S.: see Litaker, W. et al., 115
Duke, N. C.: see Robertson, A. I., 193
Duncan, J. A. R.: see Gordon, J. D. M., 309

Elrifi, I. R.; Turpin, D. H.: Short-term physiological indicators of N deficiency in phytoplankton: a unifying model 425
Emson, R. H.; Woodley, J. D.: Submersible and laboratory observations on *Asteroschema tenue,* a long-armed euryaline brittle star epizoic on gorgonians 31

Falkowski, P. G.: see Wyman, K. D. et al., 283
Farrant, P. A.: Population dynamics of the temperate Australian soft coral *Capnella gaboensis* 401
Felbeck, H.: see Distel, D. L., 79
Fernandez Castro, N.; Lucas, A.: Variability of the frequency of male neoteny in *Ostrea puelchana* (Mollusca: Bivalvia) 359
Fisher, C. R.; Childress, J. J.; Oremland, R. S.; Bidigare, R. R.: The importance of methane and thiosulfate in the metabolism of the bacterial symbionts of two deep-sea mussels 59
Follum, O. A.; Gray, J. S.: Nitrogenous excretion by the sediment-living bivalve *Nucula tenuis* from the Oslofjord, Norway 355
Fyhn, H. J.; Serigstad, B.: Free amino acids as energy substrate in developing eggs and larvae of the cod *Gadus morhua* 335

Gage, J. D.: Growth of the deep-sea irregular sea urchins *Echinosigra phiale* and *Hemiaster expergitus* in the Rockall Trough (N. E. Atlantic Ocean) 19
Gee, J. M.: Impact of epibenthic predation on estuarine intertidal harpacticoid copepod populations 497
Geider, R. J.; Osborne, B. A.: Light absorption by a marine diatom: experimental observations and theoretical calculations of the package effect in a small *Thalassiosira* species 299
Germann, I., Druehl, L. D.; Hoeger, U.: Seasonal variation in total and soluble tissue nitrogen of *Pleurophycus gardneri* (Phaeophyceae: Laminariales) in relation to environmental nitrate 413
Gilewicz, M.; Guillaume, J. R.; Bertrand, J. C.: Characterization of the liver cytochrome $P_{450}$ in the marine fish *Mugil cephalus* and effects of some hydrocarbons on the mixed-function oxidase components 157
Gjøsaeter, J.: see Dalpadado, P., 173
Gladstone, W.: Role of female territoriality in social and mating systems of *Canthigaster valentini* (Pisces: Tetraodontidae): evidence from field experiments 185
Gordon, J. D. M.; Duncan, J. A. R.: Deep-sea bottom-living fishes at two repeat stations at 2 200 and 2 900 m in the Rockall Trough, northeastern Atlantic Ocean 309
Gray, J. S.: see Follum, O. A., 355
Grigg, H.; Bardwell, S. J.; Holmes, L. J.: Comparative observations on the biometry and development of *Calanus finmarchicus* and *C. helgolandicus* in Copepodite Stage V, with comments on other Calanidae 253
Guglielmo, L.: see Sameoto, D. et al., 235
Guillaume, J. R.: see Gilewicz, M. et al., 157

Haglund, K.; Axelsson, L.; Pedersén, M.: Photosynthesis and respiration in the alga *Ahnfeltia plicata* in a flow-through system 409
Harrison, P. J.: see Boyer, G. L. et al., 123
Hashimoto, K.: see Miyazawa, K. et al., 385
Heeger, T.; Möller, H.: Ultrastructural observations on prey capture and digestion in the scyphomedusa *Aurelia aurita* 391
Herrnkind, W. F.: see Lipcius, R. N., 207
Heyraud, M.: see Cherry, M. I. et al., 441
Hidaka, T.: see Matsuura, S. et al., 169
Hidaka, T.: see Matsuyama, M. et al., 163
Higashiyama, M.: see Miyazawa, K. et al., 385
Hoeger, U.: see Germann, I. et al., 413
Holmes, L. J.: see Grigg, H. et al., 253
Hopkins, T. L.: Midwater food web in McMurdo Sound, Ross Sea, Antarctica 93
Hori, K.: see Miyazawa, K. et al., 385

Howard, R. K.: Diel variation in the abundance of epifauna associated with seagrasses of the Indian River, Florida, USA 137

Iglesias, J.; Olmedo, M.; Otero, J. J.; Peleteiro, J. B.; Solórzano, M. R.: Growth, under laboratory conditions, of turbot, *Scophthalmus maximus*, from the Ría de Vigo (north-west Spain) 11
Ito, K.: see Miyazawa, K. et al., 385

Jangoux, M.: see VandenSpiegel, D., 263
Johnson, J. E.: see Wardrop, J. A. et al., 151

Kattner, G.; Krause, M.: Changes in lipids during the development of *Calanus finmarchicus* s.l. from Copepodid I to adult 511
Keller, A. A.: Mesocosm studies of DCMU-enhanced fluorescence as a measure of phytoplankton photosynthesis 107
Kenney, B. E.: see Litaker, W. et al., 115
Kneib, R. T.: Seasonal abundance, distribution and growth of postlarval and juvenile grass shrimp (*Palaemonetes pugio*) in a Georgia, USA, salt marsh 215
König, G. M.: see Coll, J. C. et al., 129
Krause, M.: see Kattner, G., 511
Kronberg, I.: Accuracy of species and abundance minimal areas determined by similarity area curves 555

Lassus, P.: see Proniewski, F., 451
Lavie, B.; Noy, R.; Nevo, E.: Genetic variability in the marine gastropods *Patella coerulea* and *Patella aspera:* patterns and problems 367
Lewis, M. K.: see Sameoto, D. et al., 235
Lipcius, R. N.; Herrnkind, W. F.: Control and coordination of reproduction and molting in the spiny lobster *Panulirus argus* 207
Litaker, W.; Duke, C. S.; Kenney, B. E.; Ramus, J.: Short-term environmental variability and phytoplankton abundance in a shallow tidal estuary. I. Winter and summer 115
Lucas, A.: see Fernandez Castro, N., 359

Matlick, H. A.: see Prézelin, B. B. et al., 563
Matsuura, S.; Matsuyama, M.; Ouchi, Y.; Hidaka, T.: Maturity classification and group maturity of the red sea bream *Pagrus major*. II. Male maturity 169
Matsuura, S.: see Matsuyama, M. et al., 163
Matsuyama, M.; Matsuura, S.; Ouchi, Y.; Hidaka, T.: Maturity classification and group maturity of the red sea bream *Pagrus major*. I. Female maturity 163
Matsuyama, M.: see Matsuura, S. et al., 169
McClintock, J. B.; Pearse, J. S.: Reproductive biology of the common antarctic crinoid *Promachocrinus kerguelensis* (Echinodermata: Crinoidea) 375
McCormick, M. I.; Choat, J. H.: Estimating total abundance of a large temperate-reef fish using visual strip-transects 469
McLachlan, A.: see Cockcroft, A. C., 343
Miyazawa, K.; Higashiyama, M.; Hori, K.; Noguchi, T.; Ito, K.; Hashimoto, K.: Distribution of tetrodotoxin in various organs of the starfish *Astropecten polyacanthus* 385
Møhlenberg, F.: see Riisgård, H. U. et al., 349
Möller, H.: see Heeger, T., 391
Murray, A. W. A.: see Rodhouse P. G. et al., 1

Nevo, E.: see Lavie, B. et al., 367
Noguchi, T.: see Miyazawa, K. et al., 385
Noy, R.: see Lavie, B. et al., 367

Olmedo, M.: see Iglesias, J. et al., 11
Oremland, R. S.: see Fisher, C. R. et al., 59
Osborne, B. A.: see Geider, R. J., 299
Otero, J. J.: see Iglesias, J. et al., 11
Ouchi, Y.: see Matsuura, S. et al., 169
Ouchi, Y.: see Matsuyama, M. et al., 163
Oya, F.: Growth, stomach contents and parasites in a tidepool population of the hippolytid shrimp *Heptacarpus futilirostris*, with reference to reproduction 225

Pálsson, O. K.: see Astthorsson, O. S., 327
Pätzold, J.; Ristedt, H.; Wefer, G.: Rate of growth and longevity of a large colony of *Pentapora foliacea* (Bryozoa) recorded in their oxygen isotope profiles 535
Pearse, J. S.: see McClintock, J. B.; 375
Pedersén, M.: see Haglund, K. et al., 409
Peleteiro, J. B.: see Iglesias, J. et al., 11
Pesch, C. E.; Zajac, R. N.; Whitlatch, R. B.; Balboni, M. A.: Effect of intraspecific density on life history traits and population growth rate of *Neanthes arenaceodentata* (Polychaeta: Nereidae) in the laboratory 545
Pipe, R. K.: Ultrastructural and cytochemical study on interactions between nutrient storage cells and gametogenesis in the mussel *Mytilus edulis* 519
Porter, J. W.: see Wyman, K. D. et al., 283
Prézelin, B. B.; Bidigare, R. R.; Matlick, H. A.; Putt, M.; Ver Hoven, B.: Diurnal patterns of size-fractioned primary productivity across a coastal front 563
Prézelin, B. B.: see Smith, R. C. et al., 575
Price, I. R.: see Coll, J. C. et al., 129
Proniewski, F.; Lassus, P.: Effects of acid-iron wastes on estuarine organisms: recent field and laboratory experiments 451
Putt, M.: see Prézelin, B. B. et al., 563

Ramus, J.: see Litaker, W. et al., 115
Riisgård, H. U.; Bjørnestad, E.; Møhlenberg, F.: Accumulation of cadmium in the mussel *Mytilus edulis:* kinetics and importance of uptake via food and sea water 349
Ristedt, H.: see Pätzold, J. et al., 535
Robertson, A. I.; Duke, N. C.: Mangroves as nursery sites: comparisons of the abundance and species composition of fish and crustaceans in mangroves and other nearshore habitats in tropical Australia 193
Rodhouse, P. G.; Clarke, M. R.; Murray, A. W. A.: Cephalopod prey of the wandering albatross *Diomedea exulans* 1
Romero-Wetzel, M. B.: Sipunculans as inhabitants of very deep, narrow burrows in deep-sea sediments 87

Sahlsten, E.: Nitrogenous nutrition in the euphotic zone of the Central North Pacific Gyre 433
Sameoto, D.; Guglielmo, L.; Lewis, M. K.: Day/night vertical distribution of euphausiids in the eastern tropical Pacific 235
Serigstad, B.: see Fyhn, H. J., 335
Siegel, V.: Age and growth of Antarctic Euphausiacea (Crustacea) under natural conditions 483
Smith, R. C.; Bidigare, R. R.; Prézelin, B. B.; Baker, K. S.; Brooks, J. M.: Optical characterization of primary productivity across a coastal front 575
Solórzano, M. R.: see Iglesias, J. et al., 11
Styczyńska-Jurewicz, E.: see Wenne, R., 73
Sullivan, J. J.: see Boyer, G. L. et al., 123

Taylor, F. J. R.: see Boyer, G. L. et al., 123
Turpin, D. H.: see Elrifi, I. R., 425
Tyler, P. A.: see Walker, M. et al., 277

VandenSpiegel, D.; Jangoux, M.: Cuvierian tubules of the holothuroid *Holothuria forskali* (Echinodermata): a morphofunctional study 263
Ver Hoven, B.: see Prézelin, B. B. et al., 563

Walker, M.; Tyler, P. A.; Billett, D. S. M.: Organic and calorific content of the body tissues of deep-sea elasipodid holothurians in the northeast Atlantic Ocean 277
Wardrop, J. A.; Butler, A. J.; Johnson, J. E.: A field study of the toxicity of two oils and a dispersant to the mangrove *Avicennia marina* 151
Wefer, G.: see Pätzold, J. et al., 535
Wenne, R.; Styczyńska-Jurewicz, E.: Gross biochemical composition of the bivalve *Macoma balthica* from the Gulf of Gdańsk (Southern Baltic) 73
West, T. L.; Costlow, J. D.: Size regulation in larvae of the crustacean *Balanus eburneus* (Cirripedia: Thoracica) 47
Whitlatch, R. B.: see Pesch, C. E. et al., 545
Williams, R.; Conway, D. V. P.; Collins, N. R.: Vertical distributions of eggs, nauplii and copepodites of *Calanus helgolandicus* (Copepoda: Crustacea) in the Celtic Sea 247
Wood, W. F.: Effect of solar ultra-violet radiation on the kelp *Ecklonia radiata* 243
Woodley, J. D.: see Emson, R. H., 31
Wyman, K. D.; Dubinsky, Z.; Porter, J. W.; Falkowski, P. G.: Light absorption and utilization among hermatypic corals: a study in Jamaica, West Indies 283

Yin, M. C.; Blaxter, J. H. S.: Escape speeds of marine fish larvae during early development and starvation 459
Yoshioka, E.: Annual reproductive cycle of the chiton *Acanthopleura japonica* 371
Young, C. M.; Bingham, B. L.: Chemical defense and aposematic coloration in larvae of the ascidian *Ecteinascidia turbinata* 539

Zajac, R. N.: see Pesch, C. E. et al., 545
Zatta, P.: Dopamine, noradrenaline and serotonin during hypoosmotic stress of *Carcinus maenas* 479

Indexed in *Current Contents*